

## 2026年4月9日中铝铝箔（陇西）有限公司条件品

### 报价单

附件 1：报价一览表

铝基价执行**中标结果公布前** 15 交易日铝价上海有色网 <https://www.smm.cn>（SMM A00）。加工费为含税含运费。

序号	规格/mm	批号/箱号	等级	净重/吨	毛重/吨	内径/mm	合金	状态	质量信息	勾选条件品	铝基价/元	加工费(元/吨)
1	0.0055*300/440/320/200/220	Y2603A26118T/27369	条件品	0.85140	0.85140	76	8079	0	板型差			
2	0.006*1000/880/1020	Y2602A36572T/26388	条件品	1.02610	1.02610	76	8079	0	起皱			
3	0.006*1035	J2603A27503T/33178	条件品	0.6146	0.6856	152	1235	0	油斑			
4	0.006*1035	2603B27504T/31756	条件品	0.4727	0.5527	152	1235	0	油斑			
5	0.006*1035	J2602B07409T/27282	条件品	0.43640	0.43640	76	8079	0	油斑			
6	0.006*1260/1220/1265	Y2512B01424T/30533	条件品	1.28070	1.38370	76	8079	0	油斑			
7	0.006*1265	J2602B45106T/22069	条件品	0.5320	0.6000	76	1235	0	带油粘连压陷破洞			
8	0.006*1265	J2602B40915T/30551	条件品	0.23180	0.23180	76	8079	0	油斑			
9	0.006*1320	S2603A368233T/4662	条件品	0.3684	0.4374	76	1235	0	板型差			
10	0.006*200/480	Y2602A52155T/27875	条件品	0.60370	0.60370	76	8079	0	板型差			
11	0.006*320	M2603B11003T/30748	条件品	0.6698	0.7468	76	1235	0	油斑			
12	0.006*360	Y2603A03633T/28245	条件品	0.1252	0.1742	76	1235	0	起皱米不够			
13	0.006*360/200	Y2602A52158T/27876	条件品	0.66460	0.66460	76	8079	0	板型差			
14	0.006*370	Y2602A42153T/28461	条件品	0.07320	0.07320	76	8079	0	板型差			
15	0.006*590	Y2603A03638T/28250	条件品	0.35350	0.41150	76	8079	0	板型差			
16	0.006*640	Y2603A26105T/28810	条件品	0.11650	0.11650	76	8079	0	板型差			
17	0.006*918/890	Y2510A109300T/4651	条件品	0.34620	0.34620	76	8079	0	起皱			
18	0.006*925/930	Y2512A32410T/114755	条件品	0.79220	0.79220	76	8079	0	起皱			
19	0.006*965	M2603B11113T/32484	条件品	0.4429	0.5129	152	1235	0	油斑			
20	0.006*965	M2603B11114T/32485	条件品	0.4433	0.5133	152	1235	0	油斑			

21	0.006*965	M2603B11115T/32486	条件品	0.4579	0.5279	152	1235	0	油斑			
22	0.006*965	M2603B11116T/32487	条件品	0.4583	0.5283	152	1235	0	油斑			
23	0.006*965	M2603B11117T/32488	条件品	0.4523	0.5223	152	1235	0	油斑			
24	0.006*965	M2603B11118T/32489	条件品	0.4543	0.5243	152	1235	0	油斑			
25	0.006*965	M2603B11119T/32490	条件品	0.4571	0.5271	152	1235	0	油斑			
26	0.006*965	M2603B11108T/26577	条件品	0.45430	0.45430	152	8079	0	油斑			
27	0.006*965	M2603B11111T/26580	条件品	0.45630	0.45630	152	8079	0	油斑			
28	0.006*965	M2603B11112T/26581	条件品	0.45670	0.45670	152	8079	0	油斑			
29	0.006*965	M2603B11109T/26578	条件品	0.45310	0.52310	152	8079	0	油斑			
30	0.006*965	M2603B11110T/26579	条件品	0.45590	0.52590	152	8079	0	油斑			
31	0.006/55*1000/1055/1050/1020	Y2512A26822T/30536	条件品	1.07550	1.07550	76	8079	0	起皱			
32	0.006/55*790/890/905/920	Y2602A53631T/31723	条件品	0.8444	0.9284	76	1235	0	起皱版型差有色差带油			
33	0.006/65*350/210/460/370/300/320/ 250	Y2603A03636T/28247	条件品	0.75230	0.75230	76	8079	0	版型差			
34	0.006/65*350/300/260/240/460/220	Y2602A36568T/26383	条件品	0.82420	0.82420	76	8079	0	版型差			
35	0.006/65*640/630/600/620	Y2602A52162T/27877	条件品	1.16370	1.16370	76	8079	0	版型差			
36	0.006/65/7*700/610/740/670	Y2603A03642T/28254	条件品	0.71580	0.71580	76	8079	0	版型差			
37	0.006/7*998/890/900/965	Y2603A44303T/31753	条件品	1.0229	1.1109	76	1235	0	油斑版型差磕碰			
38	0.0065*1260	M2602B32916T/27283	条件品	0.55100	0.55100	76	8079	0	油斑			
39	0.0065*1260	J2602B45308T/27284	条件品	0.56920	0.56920	76	8079	0	油斑			
40	0.0065*380	D2510B01608T/108134	条件品	0.2414	0.2964	76	1235	0	起皱串层错层			
41	0.0065*570	J2603B02310T/24358	条件品	0.22400	0.27000	76	8079	0	油斑			
42	0.0065*720	J2602B49706T/22232	条件品	0.49580	0.49580	76	8079	0	油斑			
43	0.0065/3*460/400/580/440/350/370/ 520	Y2602A53626T/31718	条件品	0.8771	0.9691	76	1235	0	版型差米不够压陷串层			
44	0.0065/55*760/770/620/790	Y2602A52124T/30523	条件品	0.71490	0.71490	76	8079	0	版型差			
45	0.0065/6*520/590/510/506	Y2602A52153T/27873	条件品	0.45680	0.52780	76	8079	0	版型差			
46	0.0065/6*540/280/550/510	J2510B28238T/30544	条件品	0.53900	0.53900	76	8079	0	版型差			
47	0.0065/6*650/680/580/600/630	Y2602A48852T/31699	条件品	0.5510	0.6290	76	1235	0	起皱版型差			
48	0.0065/7*740/760/770/720/780	Y2603A26120T/27371	条件品	0.83990	0.83990	76	8079	0	版型差			
49	0.0065/7*770/650	Y2603A26122T/27290	条件品	0.72970	0.72970	76	8079	0	版型差			

50	0.007*1140	J2603B18009T/27300	条件品	0.6258	0.7058	152	1235	0	油斑			
51	0.007*1140	J2603B18010T/27299	条件品	0.6198	0.6998	152	1235	0	油斑			
52	0.007*1140	J2603B18111T/27301	条件品	0.6064	0.6864	152	1235	0	油斑			
53	0.007*1140	J2603B18112T/27302	条件品	0.5954	0.6754	152	1235	0	油斑			
54	0.007*1140	J2603B18115T/27305	条件品	0.6192	0.6992	152	1235	0	油斑			
55	0.007*1140	J2603B18114T/27304	条件品	0.6298	0.7098	152	1235	0	油斑			
56	0.007*1140	J2603B18113T/27303	条件品	0.6214	0.7014	152	1235	0	油斑			
57	0.007*1140	J2603B18011T/27306	条件品	0.6282	0.7082	152	1235	0	油斑			
58	0.007*1140	J2603B18012T/27307	条件品	0.6354	0.7154	152	1235	0	油斑			
59	0.007*1140	J2603B18013T/27308	条件品	0.6152	0.6952	152	1235	0	油斑			
60	0.007*1140	J2603B18014T/27309	条件品	0.6226	0.7026	152	1235	0	油斑			
61	0.007*1140	J2603B18015T/27310	条件品	0.6270	0.7070	152	1235	0	油斑			
62	0.007*1140	J2603B18016T/27981	条件品	0.6258	0.7058	152	1235	0	油斑			
63	0.007*1140	J2603B18017T/27982	条件品	0.6334	0.7134	152	1235	0	油斑			
64	0.007*1140	J2603B18116T/32491	条件品	0.6300	0.7100	152	1235	0	油斑			
65	0.007*1140	J2603B18117T/32492	条件品	0.6188	0.6988	152	1235	0	油斑			
66	0.007*1140	J2603B18118T/32493	条件品	0.6302	0.7102	152	1235	0	油斑			
67	0.007*1140	J2603B18119T/32494	条件品	0.6364	0.7164	152	1235	0	油斑			
68	0.007*1140	J2603B18120T/31712	条件品	0.5952	0.6742	152	1235	0	油斑			
69	0.007*1140	J2603B18018T/31711	条件品	0.6178	0.6968	152	1235	0	油斑			
70	0.007*1140	J2603B18306T/27275	条件品	0.6428	0.7228	152	1235	0	油斑			
71	0.007*1140	J2603B21003T/27269	条件品	0.6550	0.7350	152	1235	0	油斑			
72	0.007*1140	J2603B18301T/27270	条件品	0.6322	0.7122	152	1235	0	油斑			
73	0.007*1140	J2603B18302T/27271	条件品	0.6370	0.7170	152	1235	0	油斑			
74	0.007*1140	J2603B18303T/27272	条件品	0.6456	0.7256	152	1235	0	油斑			
75	0.007*1140	J2603B18308T/27278	条件品	0.6466	0.7266	152	1235	0	油斑			
76	0.007*1140	J2603B21002T/27268	条件品	0.6654	0.7454	152	1235	0	油斑			
77	0.007*1140	J2603B21001T/27267	条件品	0.6718	0.7508	152	1235	0	油斑			
78	0.007*1140	J2603B18305T/27274	条件品	0.6268	0.7058	152	1235	0	油斑			
79	0.007*200/260/310	MX2506B236748T/76638	条件品	0.39870	0.39870	76	8079	0	板型差			

80	0.007*200/270/410/300/260	YL2506A209827T/13496	条件品	0.54950	0.54950	76	8079	0	板型差			
81	0.007*200/380/320/420	2501A0145965T/10230	条件品	0.87520	0.87520	76	8079	0	板型差			
82	0.007*210/300	MX2505A20091T/80637	条件品	0.39440	0.39440	76	8079	0	板型差			
83	0.007*220	Y2603A44301T/31750	条件品	0.0986	0.1296	76	1235	0	闪皱			
84	0.007*220	2412A443147T/91341	条件品	0.50540	0.50540	76	8079	0	板型差			
85	0.007*230	Y2601A28142T/11774	条件品	0.1032	0.1282	76	1235	0	起皱			
86	0.007*240/270	Y2510A08435T/99134	条件品	0.17720	0.17720	76	8079	0	板型差			
87	0.007*260/380/390	YL2507A260042T/80022	条件品	0.52720	0.52720	76	8079	0	板型差			
88	0.007*280	2406A231501T/40988	条件品	0.96840	0.96840	76	8079	0	板型差			
89	0.007*280/200	Y2511A24444T/110530	条件品	0.21360	0.21360	76	8079	0	板型差			
90	0.007*300/260	MX2505A20085T/80631	条件品	0.26630	0.26630	76	8079	0	板型差			
91	0.007*300/260/210	Y2508A30037T/80569	条件品	0.55600	0.55600	76	8079	0	板型差			
92	0.007*310/440/220	Y2602A36573T/26389	条件品	0.15870	0.15870	76	8079	0	板型差			
93	0.007*320	M2601A43015T/12399	条件品	0.22420	0.22420	76	8079	0	板型差			
94	0.007*320	M2601A43016T/12400	条件品	1.12600	1.12600	76	8079	0	板型差			
95	0.007*320	M2601A43011T/12395	条件品	1.12720	1.12720	76	8079	0	板型差			
96	0.007*320/470/230/580/620/480/560	Y2601A02515T/13196	条件品	1.24830	1.24830	76	8079	0	起皱、针孔超			
97	0.007*360	YL2504A1259100/18302	条件品	0.08580	0.10680	76	8079	0	板型差			
98	0.007*430/210/240/220/230/480/320	2503A0981881T/26167	条件品	0.98540	0.98540	76	8079	0	板型差			
99	0.007*480	J2603B29915T/27379	条件品	0.21980	0.21980	76	8079	0	板型差			
100	0.007*480/540	D2603A18811T/32681	条件品	1.0561	1.1471	76	1235	0	有皱版型差米不够油斑			
101	0.007*510	Y2602A52127T/30531	条件品	0.18520	0.18520	76	8079	0	板型差			
102	0.007*560	Y2602A53632T/31724	条件品	0.1269	0.1579	76	1235	0	油斑			
103	0.007*600	Y2603A44306T/31758	条件品	0.6588	0.7338	76	1235	0	起皱、针孔超			
104	0.007*860/927/920	Y2602A52131T/30549	条件品	0.90780	0.90780	76	8079	0	起皱			
105	0.007*950	Y2508B330708T/31700	条件品	0.4556	0.5096	76	1235	0	油斑版型差			
106	0.007/55*680/790/620	M2601B14328T/30543	条件品	0.76920	0.84820	76	8079	0	起皱			
107	0.007/6*1140/1100/1127/1130/990	J2603B18310T/31713	条件品	1.1700	1.2690	76	1235	0	起皱油斑			
108	0.007/6*640/620	Y2602A36563T/26377	条件品	0.60040	0.60040	76	8079	0	起皱			
109	0.007/6/55*800/900/980/850	Y2602A36577T/26393	条件品	0.82600	0.82600	76	8079	0	起皱			
110	0.009*300	S2603A14208T/26951	条件品	0.17920	0.17920	76	8079	0	起皱、针孔超			

111	0.009*300	S2603A14207T/26950	条件品	0.18300	0.18300	76	8079	0	起皱、针孔超			
112	0.009*300	S2603A14210T/26953	条件品	0.18320	0.18320	76	8079	0	起皱、针孔超			
113	0.009*300	S2603A14209T/26952	条件品	0.18340	0.18340	76	8079	0	起皱、针孔超			
114	0.009*300	H2603A20702T/28546	条件品	0.18660	0.18660	76	8079	0	起皱、针孔超			
115	0.009*300	H2603A20701T/28545	条件品	0.37160	0.37160	76	8079	0	起皱、针孔超			
116	0.009*556/300	H2512A14618T/27364	条件品	0.23220	0.23220	76	8079	0	起皱、针孔超			
117	0.009*660	Y2603A03646T/28256	条件品	0.38680	0.38680	76	8079	0	起皱、针孔超			
118	0.009*660	Y2603A03647T/27288	条件品	0.39120	0.39120	76	8079	0	起皱、针孔超			
119	0.009*710	Y2603A26131T/27383	条件品	0.32080	0.32080	76	8079	0	起皱、针孔超			
120	0.009*790	D2512A16723T/27360	条件品	0.27880	0.27880	76	8079	0	起皱、针孔超			
121	0.009*860	Y2602A52132T/30550	条件品	0.20790	0.20790	76	8079	0	起皱、针孔超			
122	0.009*920	Y2508A213304FT/84121	条件品	0.34230	0.34230	76	8079	0	起皱、针孔超			
123	0.009*920	Y2508A215303FT/84107	条件品	0.49900	0.49900	76	8079	0	起皱、针孔超			
124	0.009*920	Y2508A213302FT/84120	条件品	0.67840	0.67840	76	8079	0	起皱、针孔超			
125	0.01*300	D2603A28021T/32138	条件品	0.1646	0.2126	76	1235	0	针孔超、孔洞			
126	0.01*300	D2603A280151T/27332	条件品	0.1832	0.2312	76	1235	0	针孔超、孔洞			
127	0.01*300	D2603A28022T/32139	条件品	0.1814	0.2294	76	1235	0	针孔超、孔洞			
128	0.01*300	D2603A280152T/27333	条件品	0.1656	0.2136	76	1235	0	针孔超、孔洞			
129	0.01*300	D2603A280153T/27334	条件品	0.1666	0.2146	76	1235	0	针孔超、孔洞			
130	0.01*300	D2603A28023T/32140	条件品	0.1420	0.1900	76	1235	0	针孔超、孔洞			
131	0.01*300	D2603A280154T/27335	条件品	0.1418	0.1898	76	1235	0	针孔超、孔洞			
132	0.01*300	D2603A280150T/27331	条件品	0.1852	0.2332	76	1235	0	针孔超、孔洞			
133	0.01*300	D2603A28024T/33035	条件品	0.3066	0.3566	76	1235	0	针孔超、孔洞			
134	0.01*300	D2603A28033T/33037	条件品	0.3442	0.3942	76	1235	0	针孔超、孔洞			
135	0.01*300	D2603a31823T/33034	条件品	0.3284	0.3784	76	1235	0	针孔超、孔洞			
136	0.01*300	D2603A28035T/33039	条件品	0.1716	0.2236	76	1235	0	针孔超、孔洞			
137	0.01*350	D2603A28124T/32161	条件品	0.2090	0.2570	76	1235	0	米不够			
138	0.01*350	D2603A27809T/30762	条件品	0.2322	0.2802	76	1235	0	针孔超			
139	0.01*450	D2603A28002T/31074	条件品	0.2562	0.3042	76	1235	0	针孔超			
140	0.01*450	D2603A28003T/27329	条件品	0.2396	0.2876	76	1235	0	针孔超、孔洞			
141	0.01*450	D2603A28004T/27330	条件品	0.2426	0.2906	76	1235	0	针孔超、孔洞			

142	0.01*450	D2603A280200T/27328	条件品	0.2482	0.2962	76	1235	0	针孔超、孔洞			
143	0.01*450	D2603a31826T/33041	条件品	0.2456	0.2976	76	1235	0	针孔超、孔洞			
144	0.01*470	D2603A27815T/30883	条件品	0.3092	0.3552	76	1235	0	针孔超			
145	0.01*470	D2603A28108T/31103	条件品	0.2798	0.3298	76	1235	0	米不够			
146	0.01*586	D2603A28116T/31132	条件品	0.3440	0.3940	76	1235	0	米不够			
147	0.01*586/470	D2603A27821T/30925	条件品	0.3476	0.4066	76	1235	0	针孔超			
148	0.01*690	D2603A31817T/31361	条件品	0.2242	0.2722	76	1235	0	划伤			
149	0.01*690	d2603a31822T/32876	条件品	0.2268	0.2778	76	1235	0	密集针孔串泡			
150	0.011*630	D2601A063200T/9527	条件品	0.5426	0.5976	76	1235	0	退货油斑黑线			
151	0.011*630	D2601A061201T/9486	条件品	0.3320	0.3800	76	1235	0	退货油斑黑线			
152	0.011*630	D2601A063202T/9496	条件品	0.3318	0.3798	76	1235	0	退货油斑黑线			
153	0.011*630	Y2601A061203T/9508	条件品	0.5444	0.5994	76	1235	0	退货油斑黑线			
154	0.011*630	Y2601A061204T/9506	条件品	0.5424	0.5974	76	1235	0	退货油斑黑线			
155	0.011*630	Y2601A063205T/9526	条件品	0.5440	0.5990	76	1235	0	退货油斑黑线			
156	0.011*630	Y2601A063206T/9528	条件品	0.5434	0.5984	76	1235	0	退货油斑黑线			
157	0.011*630	Y2601A063207T/9522	条件品	0.5442	0.5992	76	1235	0	退货油斑黑线			
158	0.011*630	Y2601A063208T/9495	条件品	0.3272	0.3752	76	1235	0	退货油斑黑线			
159	0.011*630	Y2601A062209T/9488	条件品	0.3274	0.3754	76	1235	0	退货油斑黑线			
160	0.011*630	Y2601A062210T/9494	条件品	0.3414	0.3894	76	1235	0	退货油斑黑线			
161	0.011*630	Y2601A062211T/9487	条件品	0.3378	0.3858	76	1235	0	退货油斑黑线			
162	0.011*630	Y2601A062212T/9510	条件品	0.5354	0.5904	76	1235	0	退货油斑黑线			
163	0.011*630	Y2601A061213T/9502	条件品	0.5464	0.6014	76	1235	0	退货油斑黑线			
164	0.011*630	Y2601A061214T/9503	条件品	0.5412	0.5962	76	1235	0	退货油斑黑线			
165	0.011*630	Y2601A061233T/9507	条件品	0.5422	0.5972	76	1235	0	退货油斑黑线			
166	0.011*630	Y2601A061215T/9498	条件品	0.5470	0.6020	76	1235	0	退货油斑黑线			
167	0.011*630	Y2601A063216T/9525	条件品	0.5438	0.5988	76	1235	0	退货油斑黑线			
168	0.011*630	Y2601A062217T/9511	条件品	0.5496	0.6046	76	1235	0	退货油斑黑线			
169	0.011*630	Y2601A063218T/9519	条件品	0.5430	0.5980	76	1235	0	退货油斑黑线			
170	0.011*630	Y2601A063219T/9518	条件品	0.5440	0.5990	76	1235	0	退货油斑黑线			
171	0.011*630	Y2601A061220T/9499	条件品	0.5446	0.5996	76	1235	0	退货油斑黑线			
172	0.011*630	Y2601A063221T/9524	条件品	0.5450	0.6000	76	1235	0	退货油斑黑线			

173	0.011*630	Y2601A061222T/9501	条件品	0.5418	0.5968	76	1235	0	退货油斑黑线			
174	0.011*630	Y2601A062223T/9491	条件品	0.3324	0.3804	76	1235	0	退货油斑黑线			
175	0.011*630	Y2601A061224T/9485	条件品	0.3338	0.3818	76	1235	0	退货油斑黑线			
176	0.011*630	Y2601A062225T/9493	条件品	0.3316	0.3796	76	1235	0	退货油斑黑线			
177	0.011*630	Y2601A062226T/9489	条件品	0.3310	0.3790	76	1235	0	退货油斑黑线			
178	0.011*630	Y2601A061227T/9497	条件品	0.5438	0.5988	76	1235	0	退货油斑黑线			
179	0.011*630	Y2601A063228T/9521	条件品	0.5424	0.5974	76	1235	0	退货油斑黑线			
180	0.011*630	Y2601A061229T/9500	条件品	0.5450	0.6000	76	1235	0	退货油斑黑线			
181	0.011*630	Y2601A063230T/9517	条件品	0.5444	0.5994	76	1235	0	退货油斑黑线			
182	0.011*630	Y2601A063231T/9520	条件品	0.5438	0.5988	76	1235	0	退货油斑黑线			
183	0.011*630	Y2601A061232T/9505	条件品	0.5416	0.5966	76	1235	0	退货油斑黑线			
184	0.011*630	M2603A13917T/33802	条件品	0.4682	0.5192	76	1235	0	超厚, 纹路粗			
185	0.011*630	M2603A13918T/33803	条件品	0.3422	0.3892	76	1235	0	表检黑条暗面非压			
186	0.011*630	M2602A51567T/23860	条件品	0.16140	0.19340	76	8011	0	起皱、针孔超			
187	0.012*600	WJ2503A0918400T/27361	条件品	0.59230	0.66830	76	8011	0	起皱、针孔超			
188	0.015*510	S2508A363300T/78703	条件品	0.2488	0.2958	76	1235	0	油污破洞			
189	0.015*510	S2508A363301T/78704	条件品	0.2488	0.2958	76	1235	0	油污破洞			
190	0.015*510	S2508A363302T/78701	条件品	0.2612	0.3082	76	1235	0	油污破洞			
191	0.015*510	S2508A363303T/78702	条件品	0.2628	0.3098	76	1235	0	油污破洞			
192	0.015*610	J2510B33723T/27363	条件品	0.38700	0.43900	76	8011	0	起皱、针孔超			
193	0.03*310	Y2603A20002T/30167	条件品	0.15580	0.18880	76	1235	0	针孔超			
194	0.03*310/350	Y2603A20827T/30745	条件品	0.4445	0.5055	76	1235	0	油污破洞			
195	0.03*350	Y2603A06317T/27324	条件品	0.4647	0.5307	76	1235	0	非压米不够			
196	0.03*350	2603A06316T/30778	条件品	0.3100	0.3650	76	1235	0	非压米不够			
197	0.03*350	Y2603A19922T/27319	条件品	0.32480	0.37380	76	1235	0	针孔超			
198	0.03*350	Y2603A19921T/30280	条件品	0.34360	0.39260	76	1235	0	针孔超			
199	0.03*350	Y2603A20023T/27316	条件品	0.45750	0.52250	76	1235	0	针孔超			
200	0.03*350/360	Y2603A19923T/27317	条件品	0.29890	0.34790	76	1235	0	针孔超			
201	0.03*360	Y2603A20822T/27314	条件品	0.29340	0.34140	76	1235	0	针孔超			
202	0.03*360	Y2603A20823T/27315	条件品	0.29440	0.34240	76	1235	0	针孔超			
203	0.03*360	Y2603A20821T/30245	条件品	0.29480	0.34280	76	1235	0	针孔超			

204	0.03*360	Y2603A20824T/27318	条件品	0.29950	0.34750	76	1235	0	针孔超			
205	0.03*360/350	Y2603A20024T/27320	条件品	0.79140	0.86340	76	1235	0	针孔超			
206	0.03*450	D2602A00301T/21081	条件品	0.73180	0.79880	76	1235	0	针孔超			
207	0.03*470	Y2603A06324T/30905	条件品	0.4148	0.4738	76	1235	0	非压米不够			
208	0.03*470	Y2603A19819T/27336	条件品	0.4736	0.5336	76	1235	0	孔洞			
209	0.03*480/470	Y2603A20926T/30919	条件品	0.4366	0.4956	76	1235	0	针孔超			
210	0.045*1220	J2603A23813T/31416	条件品	0.2550	0.3190	76	1235	0	米不够			
211	0.045*620	J2603A23905T/31246	条件品	0.2636	0.3186	152	1235	0	米不够表色差			
212	0.045*620	J2603A23906T/4660	条件品	0.2646	0.3196	152	1235	0	米不够表色差			
213	0.045*620	J2603A23906T/31247	条件品	0.5252	0.5982	152	1235	0	米不够版型差			
214	0.05*660	H2603A05223T/32467	条件品	0.2476	0.2956	76	1235	0	米不够			
215	0.05*660	H2603A05224T/27323	条件品	0.2488	0.2968	76	1235	0	米不够			
216	0.075*926	YL2504B1636101/49004	条件品	0.21460	0.25260	76	1235	0	板型差			
	合计			102.7173								

购买单位(盖章)：