

2026年4月19日中铝铝箔（陇西）有限公司条件品

报价单

附件 1：报价一览表

铝基价执行**中标结果公布前** 15 交易日铝价上海有色网 <https://www.smm.cn>（SMM A00）。加工费为含税含运费。

序号	规格/mm	批号/箱号	等级	净重/吨	毛重/吨	内径/mm	合金	状态	质量信息	勾选条件品	铝基价/元	加工费(元/吨)
1	0.0055*1020	Y2511A15970T/108242	条件品	0.3780	0.4350	76	1235	0	针孔超，版型差			
2	0.0055*1030	J2603B00309/24761	条件品	0.55020	0.62120	152	8079	0	油斑			
3	0.0055*1030	J2603B00310/24762	条件品	0.55190	0.62290	152	8079	0	油斑			
4	0.0055*1030	J2603B00304/24756	条件品	0.57730	0.64830	152	8079	0	油斑			
5	0.0055*1030	J2603B00305/24757	条件品	0.57870	0.64970	152	8079	0	油斑			
6	0.0055*1030	J2603B00302/24754	条件品	0.58610	0.65710	152	8079	0	油斑			
7	0.0055*1030	J2603B00110T/25847	条件品	0.5587	0.6307	152	1235	0	油斑			
8	0.0055*1315	J2603B17601T/36189	条件品	1.2269	1.3289	76	1235	0	间皱			
9	0.0055*1315	J2603B17604T/36191	条件品	1.2487	1.3507	76	1235	0	间皱			
10	0.0055*1315	J2603B17606T/36194	条件品	1.2419	1.3439	76	1235	0	间皱			
11	0.0055*1315	J2603B17609T/36196	条件品	1.2403	1.3423	76	1235	0	间皱			
12	0.0055*1315	J2603B17611T/36199	条件品	0.4968	0.5658	76	1235	0	间皱			
13	0.006*1000	Y2512A26822T/30536	条件品	1.07550	1.07550	76	8079	0	起皱、版型差			
14	0.006*1000/990	Y2604A04837T/36957	条件品	1.0130	1.1050	76	1235	0	闪皱油斑			
15	0.006*1020	J2604B24511T/36060	条件品	0.21870	0.25670	76	8079	0	油斑			
16	0.006*1020	J2602B45916T/24948	条件品	0.4266	0.4836	76	1235	0	带油重，版型差			
17	0.006*1030	J2603B11709/25648	条件品	0.58010	0.65110	152	8079	0	油斑			
18	0.006*1030	J2603B11705/25644	条件品	0.58970	0.66070	152	8079	0	油斑			
19	0.006*1030	J2603B11708/25647	条件品	0.58970	0.66070	152	8079	0	油斑			
20	0.006*1030	J2603B11702/25641	条件品	0.59170	0.66270	152	8079	0	油斑			
21	0.006*1030	J2603B11704/25643	条件品	0.59270	0.66370	152	8079	0	油斑			
22	0.006*1030	J2603B11703/25642	条件品	0.59530	0.66630	152	8079	0	油斑			

23	0.006*1030	J2603B11706/25645	条件品	0.60690	0.67790	152	8079	0	油斑			
24	0.006*1030	Y2603A39133T/31798	条件品	0.3067	0.3727	152	1235	0	米不够, 油斑			
25	0.006*1030	Y2603A39133T/31792	条件品	0.8729	0.9939	152	1235	0	油斑			
26	0.006*1030	J2603B23501T/26602	条件品	0.5719	0.6439	152	1235	0	油斑包条			
27	0.006*1030	J2603B12202T/26603	条件品	0.3391	0.4121	152	1235	0	油斑包条			
28	0.006*1030	J2603B23508T/25649	条件品	0.6147	0.6857	152	1235	0	油斑			
29	0.006*1030	J2603B23509T/25650	条件品	0.6161	0.6871	152	1235	0	油斑			
30	0.006*1030	J2603B23510T/25651	条件品	0.6201	0.6911	152	1235	0	油斑			
31	0.006*1030	J2602B00205T/30974	条件品	0.5667	0.6377	152	1235	0	卷号重, 油斑			
32	0.006*200	Y2603A23718T/37221	条件品	0.58640	0.66640	76	8079	0	配切			
33	0.006*300	M2602A13504T/35086	条件品	0.6412	0.7152	76	1235	0	版型差			
34	0.006*300	M2602A13501T/35085	条件品	0.5552	0.6292	76	1235	0	版型差米不够			
35	0.006*300	M2602A13509T/37065	条件品	0.1296	0.1606	76	1235	0	版型差非压			
36	0.006*310	J2604B15801T/37066	条件品	0.6504	0.7244	76	1235	0	表色差, 厚度波动大			
37	0.006*370	Y2603A39139T/31801	条件品	0.6761	0.7561	76	1235	0	起皱			
38	0.006*460	Y2604A08508T/35141	条件品	0.2791	0.3321	76	1235	0	串层花纹			
39	0.006*460	YL2504A1523470T/200165	条件品	0.3658	0.4298	76	1235	0	起皱			
40	0.006*790	Y2602A53631T/31723	条件品	0.84440	0.92840	76	8079	0	起皱、版型差			
41	0.006*922	J2604A17613T/35862	条件品	0.9490	1.0350	76	1235	0	表检孔洞			
42	0.006*922	J2604A17615T/35864	条件品	0.9494	1.0354	76	1235	0	表检孔洞			
43	0.006*922	J2604A17617T/35865	条件品	0.9429	1.0299	76	1235	0	间皱			
44	0.006*965	M2603B11120T/28535	条件品	0.4117	0.4827	152	1235	0	油斑包条			
45	0.006*990	M2603B06607T/27476	条件品	1.0228	1.1138	76	1235	0	油斑			
46	0.006/65*320/440	M2603B11002T/30746	条件品	0.6147	0.6877	76	1235	0	孔洞油斑			
47	0.006/7/65*1010/990/1015/970	Y2603A44305T/31755	条件品	1.1230	1.2140	76	1235	0	油斑米不够			
48	0.0065*440	Y2601A25068T/10357	条件品	0.1846	0.2336	76	1235	0	起皱			
49	0.0065*440	M2603A42408T/35132	条件品	0.2789	0.3319	76	1235	0	非压孔洞			
50	0.0065*440	M2603A42407T/35130	条件品	0.9322	1.0182	76	1235	0	非压孔洞			
51	0.0065*440	M2603A42605T/35125	条件品	0.9124	0.9984	76	1235	0	非压孔洞			
52	0.0065*440	M2603A42608T/35127	条件品	0.9276	1.0136	76	1235	0	非压孔洞			
53	0.0065*440	M2603A42505T/35095	条件品	0.9308	1.0168	76	1235	0	夹渣孔洞			

54	0.0065*440	M2603A42509T/35099	条件品	0.9304	1.0184	76	1235	0	非压孔洞			
55	0.0065*460	Y2602A53626T/31718	条件品	0.87710	0.96910	76	8079	0	起皱			
56	0.0065*500	Y2603A23724T/37228	条件品	0.10510	0.13610	76	8079	0	板型差			
57	0.0065*570	Y2604B08314T/38011	条件品	0.3750	0.4250	76	1235	0	起皱			
58	0.0065*580	Y2601A25067T/10358	条件品	0.24340	0.29540	76	8079	0	板型差			
59	0.0065*760	Y2602A52124T/30523	条件品	0.71490	0.71490	76	8079	0	起皱			
60	0.0065*820	M2603A42503T/34700	条件品	0.3460	0.4040	76	1235	0	夹渣孔洞, 非压			
61	0.0065*820	M2603A42504T/34701	条件品	0.3428	0.3928	76	1235	0	夹渣孔洞, 非压			
62	0.0065/6*440/350*210/570	Y2603A43928T/31864	条件品	0.8006	0.8846	76	1235	0	边松起皱闪皱			
63	0.0065/6*560/300/440	Y2604A08306T/35108	条件品	0.9934	1.0854	76	1235	0	版型差非压孔洞			
64	0.0065/6*570/250/220/360/440	Y2604A04618T/31827	条件品	0.8232	0.9072	76	1235	0	起皱版型差毛刺			
65	0.007*200/260/310	MX2506B236748T/76638	条件品	0.39870	0.39870	76	8079	0	板型差			
66	0.007*200/270/410/300/260	YL2506A209827T/13496	条件品	0.54950	0.54950	76	8079	0	板型差			
67	0.007*200/380/320/420	2501A0145965T/10230	条件品	0.87520	0.87520	76	8079	0	板型差			
68	0.007*210/300	MX2505A20091T/80637	条件品	0.39440	0.39440	76	8079	0	板型差			
69	0.007*220	2412A443147T/91341	条件品	0.50540	0.50540	76	8079	0	板型差			
70	0.007*220	Y2603A44301T/31750	条件品	0.0986	0.1296	76	1235	0	闪皱			
71	0.007*230	Y2601A28142T/11774	条件品	0.1032	0.1282	76	1235	0	起皱			
72	0.007*240/270	Y2510A08435T/99134	条件品	0.17720	0.17720	76	8079	0	板型差			
73	0.007*260/380/390	YL2507A260042T/80022	条件品	0.52720	0.52720	76	8079	0	板型差			
74	0.007*270	Y2512A25948T/8128	条件品	0.1860	0.2230	76	1235	0	起皱			
75	0.007*280	2406A231501T/40988	条件品	0.96840	0.96840	76	8079	0	板型差			
76	0.007*280/200	Y2511A24444T/110530	条件品	0.21360	0.21360	76	8079	0	板型差			
77	0.007*300/260	MX2505A20085T/80631	条件品	0.26630	0.26630	76	8079	0	板型差			
78	0.007*300/260/210	Y2508A30037T/80569	条件品	0.55600	0.55600	76	8079	0	板型差			
79	0.007*310/440/220	Y2602A36573T/26389	条件品	0.15870	0.15870	76	8079	0	板型差			
80	0.007*320	M2601A43015T/12399	条件品	0.22420	0.22420	76	8079	0	板型差			
81	0.007*320	M2601A43016T/12400	条件品	1.12600	1.12600	76	8079	0	板型差			
82	0.007*320	M2601A43011T/12395	条件品	1.12720	1.12720	76	8079	0	板型差			
83	0.007*320/470/230/580/620/480/560	Y2601A02515T/13196	条件品	1.24830	1.24830	76	8079	0	起皱、针孔超			

84	0.007*430/210/240/220/230/48 0/320	2503A0981881T/26167	条件品	0.98540	0.98540	76	8079	0	版型差			
85	0.007*480	Y2603A39137T/31799	条件品	0.2018	0.2448	76	1235	0	毛刺, 版型差			
86	0.007*480	S2603A44517T/35155	条件品	0.1878	0.2318	76	1235	0	版型差超厚米不够			
87	0.007*680	M2601B14328T/30543	条件品	0.76920	0.84820	76	8079	0	油斑			
88	0.007*780/700	Y2603A43910T/31867	条件品	0.4180	0.4800	76	1235	0	闪皱三次头			
89	0.007*800	Y2602A36577T/26393	条件品	0.82600	0.82600	76	8079	0	起皱、版型差			
90	0.007*840	Y2509A21216T/203	条件品	0.2114	0.2614	76	1235	0	起皱、版型差			
91	0.007*860/800	H2510A446570T/106205	条件品	0.2630	0.3150	76	1235	0	版型差			
92	0.007*870	H2511A071100T/103851	条件品	0.4148	0.4668	76	1235	0	起皱			
93	0.007*930	Y2508A330709T/36960	条件品	1.0108	1.1138	152	1235	0	油斑			
94	0.007/6*630/710/730/620	Y2603A39142T/31804	条件品	0.7157	0.7937	76	1235	0	起皱端色差压陷			
95	0.007/65*670/570/650	M2604A13123T/38009	条件品	0.4063	0.4653	76	1235	0	版型差, 起皱			
96	0.009*300	S2603A14208T/26951	条件品	0.17920	0.17920	76	8079	0	起皱、针孔超			
97	0.009*920	Y2508A21515T/84104	条件品	0.6822	0.7452	76	1235	0	版型差			
98	0.01*300	D2603A28021T/32138	条件品	0.16460	0.21260	76	8079	0	针孔超			
99	0.01*360	YL2504A1251100T/40131	条件品	0.4696	0.5366	76	1235	0	针孔超, 带油			
100	0.01*560	Y2602A52171T/27298	条件品	0.1715	0.2215	76	1235	0	版型差			
101	0.011*630	S2603A368102T/4663	条件品	0.4368	0.4888	76	1235	0	油斑黑线			
102	0.012*300	GJ2501B041380T/9675	条件品	0.0787	0.1237	76	1235	0	针孔超, 带油			
103	0.03*310/350	Y2603A20827T/30745	条件品	0.4445	0.5055	76	1235	0	表检孔洞			
104	0.045*1220	J2603A23813T/31416	条件品	0.2550	0.3190	76	1235	0	米不够			
105	0.045*620	J2603A23905T/31246	条件品	0.2636	0.3186	152	1235	0	米不够表色差			
106	0.045*620	J2603A23906T/4660	条件品	0.2646	0.3196	152	1235	0	米不够表色差			
107	0.045*620	J2603A23906T/31247	条件品	0.5252	0.5982	152	1235	0	米不够版型差			
108	0.05*660	H2603A05223T/32467	条件品	0.2476	0.2956	76	1235	0	米不够			
109	0.05*660	H2603A05224T/27323	条件品	0.2488	0.2968	76	1235	0	米不够			
	合计			62.6299	68.6609							

购买单位(盖章)：